

Concrete & Masonry Equipment

Plate Compactors

Multiquip

Mikasa Forward Plate Compactors



Features

- Hour/tachometer standard on MVC88 series
- Removable water tank on select models
- Low-vibration handles on selected models
- Cogged belt drive on MVC88-series
- Open base plate design

Part #	Centrifugal Force LBS (KN)	Exciter Speed VPM	Speed Min Ft (M)	Engine	HP (KW)	Plate Width In. (MM)	Oper. Weight LBS (KG)	Water Tank
MVC82VH	3080 (13.7)	5600	72 (22)	Honda GX160	4.8 (3.6)	17.7 (450)	175 (79)	No
MVC82VHW	3080 (13.7)	5600	72 (22)	Honda GX160	4.8 (3.6)	17.7 (450)	181 (82)	Yes
MVC88VTH	3372 (15)	6000	82 (25)	Honda GX160	4.8 (3.6)	19.7 (500)	207 (95)	No
MVC88VTH W	3372 (15)	6000	82 (25)	Honda GX160	4.8 (3.6)	19.7 (500)	229 (104)	Yes
MVC90H	3417 (15.2)	5800	82 (25)	Honda GX160	4.8 (3.6)	19.7 (500)	194 (88)	

Rammers

Multiquip

MTX Series



Part #	Impact Force LBS(KN)	Blows Min Max	Engine Make Model	HP(KW)	Shoe Size Width In.(MM)	Oper. Weight LBS(KG)
MTX60	3064(13.6)	695	Honda GX100	2.8(2.1)	10.4(265)	141(64)
MTX70	3350(14.9)	690	Honda GX100	2.8(2.1)	11.2(265)	165(75)

Concrete Mixers

Multiquip

Portable Concrete Mixers



Features

- Mix-N-Go is perfect for homeowners, small jobs and multiple work sites

Part #	Drum Constructon	Batch Cap. Cu Ft. (L)	Drum Opening In (MM)	Engine
MC3SBA	Steel	3 (85)	15.5 (394)	B & S
MC3SEA	Steel	3 (85)	15.5 (394)	3/4-HP 115V 10 Electric

Concrete & Masonry Equipment

Concrete Mixers

Multiquip

Towable Concrete Mixers Poly Model



Part #	Cap. Cu. Ft (L)	Drum Opening	Engine	HP(KW)
MC94PH8	9 (254)	21 (533)	Honda	7.9 (5.8)
MC94SH8	9 (254)	21 (533)	Honda	7.9 (5.8)

Towable Concrete Mixers Steel Model



- Steel drum or polyethylene versions available
- Variety of power sources
- Leaf springs standard on 6- and 9- and 12-cu. ft. mixers
- Oversized dump wheel – easier to discharge material
- 13" tires for safe towing
- Steel mixers available with 4-, 6- or 9-cu. ft. drums
- Polyethylene models available with 6-, 9- or 12-cu. ft. drums; simplify cleanup while resisting rust and dents

Part #	Cap. Cu. Ft (L)	Drum Opening	Engine	HP(KW)
MC64SH5	6 (169)	19 (483)	Honda	4.8 (3.6)
MC94SE	9 (254)	21 (533)	115/230V	1.5 (1.1)

Mudtub

Multiquip

Mudtubs



Features

- Capacity 10 cf. (.28 m3)
- Highly durable polyethylene construction resistant to cold weather and UV
- Our tough Easy Clean tubs can be cleaned in minutes with tap of rubber pallet
- Resists dents, rust or cracks
- Mud Tub features 4" x 4" rectangular steel feet
- Mud Tub W features heavy-duty, high impact resistance 8 inch casters
- One-year warranty
- Approximate 1,000 lb. capacity

Part #	Tub Type	Length	Width	Height	Weight LBS (KG)
MUDTUB	Stationary	56.75 (1.141)	28.25 (717.5)	22.75 (577.8)	54 (24.4)
MUDTUBW	Mobile	56.75 (1.141)	28.25 (717.5)	28.25 (717.5)	54 (24.4)



Concrete & Masonry Equipment

Concrete Vibrators

Multiquip

Concrete Vibrator Shafts

Part #	Length Ft.
FS10	10
FS14	14
FS21	21
FS7	7

Concrete & Masonry Equipment

Concrete Vibrators

Multiquip

Flex-Shaft Vibrators

Features

- Gasoline-powered backpack and stationary drive motor or electric handheld motors available
- Flexible shafts from 2 ft. to 21 ft. long
- UL compliance testing to USA and Canadian standards on all electric motors
- Ideal for footings and block walls
- Six heads from 7/8" to 2-5/8" available

Part #	Voltage	Amps	RPM	Weight LBS (KG)
CV2	120V	15	18000	11 (5)
CV2E	120V	15	18000	11 (5)

Water Pump Accessories

Multiquip

Dual Float Switch

Part #	Description
SW2	Double mechanical float switch, 120V. Provides holding relay to permit floats to work in series, and eliminates pump chatter in turbulent applications. UL/CUL listed. Adjustable pumping ranges 3" to 48". With NEMA 5-15 plug and piggy-back receptacle. Floa

Plaster & Mortar Mixers

Multiquip

Essick Towable Plaster Mortar Mixers Steel Model



Features

- Full range of mixers designed for professional masonry contractors
- Towable mixers with 7, 9 and 12-cubic foot capacities
- Mechanical drive available in EM120-Series
- Paddle shaft seals require no greasing
- Smooth towing whether on the job or on the highway

Part #	Cap. Cu. Ft. (L)	Engine	HP (KW)	Drive
EM120SMH11	12 (339.8)	Honda	10.7 (7.9)	Mechanical
EM70SE	7 (198.2)	115/230V	1.5 (1.1)	V-Belt/Gear
EM70SH5	12 (339.8)	Honda	4.8 (3.6)	V-Belt/Gear
EM70SH8	12 (339.8)	Honda	7.9 (5.9)	V-Belt/Gear
EM90SE	9 (254.9)	230V	5.0 (3.7)	V-Belt/Gear
EM90SH8	9 (254.9)	Honda	7.9 (5.9)	V-Belt/Gear



Concrete & Masonry Equipment

Float Pans & Trowel Blades

Multiquip

Float Pans

Part #	Description
11032	36", 4-Blade Superflat Pan
11979	60", 6-Blade Superflat Pan
12271	46", 4-Blade Flat Pan
12272	46", 5-Blade Superflat Pan
20646	Latch Pin for Float Pans

Trowel Blades

Part #	Description	Size
11990	Enduro Blades for 60" Diameter Rotors (Finish .092"; Combo .092" steel thickness)	Finish Blade 6" x 23"
11997	Enduro Blades for 60" Diameter Rotors (Finish .092"; Combo .092" steel thickness)	Combo Blade 8" x 23"
400	Blades for 46/48" Diameter Rotors (Finish .062"; Combo .075"; Float 12 G/.105" steel thickness)	Finish Blade 6" x 18"
444F	Blades for 46/48" Diameter Rotors (Finish .062"; Combo .075"; Float 12 G/.105" steel thickness)	Float Blade 10" x 18"
464	Blades for 46/48" Diameter Rotors (Finish .062"; Combo .075"; Float 12 G/.105" steel thickness)	Combo Blade 8" x 18"
844	Blades for 36" Diameter Rotors (Finish .062"; Combo .075" steel thickness)	Combo Blade 8" x 14"
900	Blades for 36" Diameter Rotors (Finish .062"; Combo .075" steel thickness)	Finish Blade 6" x 14"
954F	Blades for 36" Diameter Rotors (Finish .062"; Combo .075" steel thickness)	Float Blade 10" x 14"
C10464	Enduro Blades for 46/48" Diameter Rotors (Finish .092"; Combo .092" steel thickness)	Combo Blade 8" x 18"
C244	Blades for 24" Diameter Rotors (.075 steel thickness)	Combo Blade 5" x 9.25"
C8160	Blades for 48" Diameter 6-Blade Rotors (Finish .075"; Combo .075" steel thickness)	Comb Blade 8.125" x 16"
F10400	Enduro Blades for 46/48" Diameter Rotors (Finish .092"; Combo .092" steel thickness)	Finish Blade 6" x 18"
F616	Blades for 48" Diameter 6-Blade Rotors (Finish .075"; Combo .075" steel thickness)	
RC818	Enduro Blades for 46/48" Diameter Rotors (Finish .092"; Combo .092" steel thickness)	Reversible Combo Blade 8" x 18"

Concrete & Masonry Equipment

Trowel Machine Accessories

Multiquip

Handles

Part #	Description
QPHAFC	Folding QuickPitch Handle
QPHJB	QuickPitch Handle
QXH	QuickPitch Handle
QXHD	QuickPitch Handle
STHJB	Standard handle (Old Style)
SXH	Standard handle (New Style)

Lifting Bales

Part #	Description
1846	Lifting Bale Assembly

Ride-On Trowels

Multiquip

Whiteman Trowel-Mechanical Drive



Part #	Path Width IN (MM)	Rotor RPM	HP (KW)	Weight LBS (KG)
HHNG5	92 (233)	0-180	35 (26)	1083 (491)

Whitemane Trowels - Hydrostatic Drive



- Hydrostatic drive and patented hydraulically controlled steering
- Optimum speed and torque range for floating and finishing
- Heaviest-duty spider and wear plate assembly
- No belts, pulleys or gear boxes
- 8-ft. and 10-ft. models available
- Gasoline/Propane option on HTXG6DF

Part #	Path Width IN (MM)	Rotor RPM	Engine	HP(KW)	Weight LBS (KG)
STXD6I	117 (2970)	10-130	Yanmar Turbo Diesel	55 (4101)	2270 (1030)

Walk-Behind Trowels

Multiquip

Whiteman InstaClutch



Part #	Coverage In. (MM)	HP (KW)	Motor	RPM	QuickPitch
J36H55-Q	36 (914)	4.8(3.6)	Honda	60-115	Yes

Concrete & Masonry Equipment

Walk-Behind Trowels

Multiquip

Whiteman Trowels



Features

- Reliable gasoline engines and electric motors
- Optional QuickPitch™ Control for fast, precise blade adjustment
- Equipped with heavy-duty centrifugal clutch
- Optional manual (hand) clutch
- Precision balanced for the ultimate finish
- CA4HM has folding handle

Part #	Coverage In. (MM)	HP (KW)	Motor	RPM	QuickPitch
B46H11H	46 (1170)	9.5(7.1)	Honda	90-155	No
B46H11H-Q	46 (1170)	9.5(7.1)	Honda	90-155	Yes
B46H90-Q	46 (1170)	8.0 (6.0)	Honda	60-130	Yes
B46H90-S	46 (1170)	8.0 (6.0)	Honda	60-130	No
CA4HC	24 (610)	3.5 (2.6)	Honda	70-130	No
J36H55-S	36 (914)	4.8(3.6)	Honda	60-115	No

Table of Contents

Categorized Listing

Concrete & Masonry Equipment	1
Plate Compactors	1
Multiquip	1
Mikasa Forward Plate Compactors	1
Rammers	1
Multiquip	1
MTX Series	1
Concrete Mixers	1
Multiquip	1
Portable Concrete Mixers	1
Towable Concrete Mixers Poly Model	2
Towable Concrete Mixers Steel Model	2
Mudtub	2
Multiquip	2
Mudtubs	2
Concrete Vibrators	3
Multiquip	3
Concrete Vibrator Shafts	3
Flex-Shaft Vibrators	4
Water Pump Accessories	4
Multiquip	4
Dual Float Switch	4
Plaster & Mortar Mixers	4
Multiquip	4
Essick Towable Plaster Mortar Mixers Steel Model	4
Float Pans & Trowel Blades	5
Multiquip	5
Float Pans	5
Trowel Blades	5
Trowel Machine Accessories	6
Multiquip	6
Handles	6
Lifting Bales	6
Ride-On Trowels	6
Multiquip	6
Whiteman Trowel-Mechanical Drive	6
Whitemane Trowels - Hydrostatic Drive	6
Walk-Behind Trowels	6
Multiquip	6
Whiteman InstaClutch	6
Whiteman Trowels	7

Table of Contents

Alphabetized Listing

C	
Concrete & Masonry Equipment	1-7
Concrete Mixers	1-2
Concrete Vibrator Shafts	3
Concrete Vibrators	3-4
D	
Dual Float Switch	4
E	
Essick Towable Plaster Mortar Mixers Steel Model	4
F	
Flex-Shaft Vibrators	4
Float Pans	5
Float Pans & Trowel Blades	5
H	
Handles	6
L	
Lifting Bales	6
M	
Mikasa Forward Plate Compactors	1
MTX Series	1
Mudtub	2
Mudtubs	2
Multiquip	1-7
P	
Plaster & Mortar Mixers	4
Plate Compactors	1
Portable Concrete Mixers	1
R	
Rammers	1
Ride-On Trowels	6
T	
Towable Concrete Mixers Poly Model	2
Towable Concrete Mixers Steel Model	2
Trowel Blades	5
Trowel Machine Accessories	6
W	
Walk-Behind Trowels	6-7
Water Pump Accessories	4
Whiteman Instaclutch	6
Whiteman Trowel-Mechanical Drive	6
Whiteman Trowels	7
Whitemane Trowels - Hydrostatic Drive	6